

|          |                   |                      |
|----------|-------------------|----------------------|
| User:    | 1                 | kevc                 |
| Product: | 8                 | Charring 10mL Produc |
| Batch:   | challenge 1803065 |                      |
| Notes:   |                   |                      |
|          |                   |                      |
|          |                   |                      |

08 March 2018 08:19:43

Date Time

|                |                   |            |
|----------------|-------------------|------------|
| Starting date: | <b>08/03/2018</b> | 8:14:37 AM |
| Ending date:   | <b>08/03/2018</b> | 8:19:42 AM |

Counters:

|                 |           |       |   |
|-----------------|-----------|-------|---|
| INSPECTED       | <b>12</b> |       |   |
| ACCEPTED        | <b>2</b>  | 16.67 | % |
| REJECTED        | <b>10</b> | 83.33 | % |
| TECNICAL REJECT | <b>0</b>  | 0.00  | % |

Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| <i>Totals:</i>       | 5         | 41.67 | %  |
| Height               | 0         | 0.00  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 5         | 41.67 | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 5         | 41.67 | %  |
| Single Particles     | 3         | 25.00 | %  |
| Total Particles      | 5         | 41.67 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 0         | 0.00  | %  |
| ST2                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 5         | 41.67 | %  |
| Single Particles     | 5         | 41.67 | %  |
| Total Particles      | 5         | 41.67 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 0         | 0.00  | %  |
| Still Particles      | 0         | 0.00  | %  |
| Tot. Still Particles | 0         | 0.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAILABLE     |       | ON  |
|------------------|---------------|-------|-----|
| <i>Totals:</i>   | 5             | 41.67 | %   |
| Single Particles | 5             | 41.67 | %   |
| Total Particles  | 5             | 41.67 | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
| ST5              | NOT AVAILABLE |       | OFF |
| <i>Totals:</i>   | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |

| LKD counters   |   |      |    |
|----------------|---|------|----|
| LKD1           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |
| LKD2           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |

Approved by:

Verified by: