

User:	1	roby
Product:	3	Production 5ml
Batch:	particle trials tray 48	
Notes:		

27 November 2017 13:24:21

Date Time

Starting date:	27/11/2017	1:22:26 PM
Ending date:	27/11/2017	1:24:21 PM

Counters:

INSPECTED	168		
ACCEPTED	117	69.64	%
REJECTED	51	30.36	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	4	2.38	%
Single Particles	0	0.00	%
Total Particles	4	2.38	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	28	16.67	%
Single Particles	20	11.90	%
Total Particles	26	15.48	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	44	26.19	%
Single Particles	34	20.24	%
Total Particles	43	25.60	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: