

User:	1	rojb
Product:	17	2ml update
Batch:	2ml update ts5 run 3	
Notes:		

22 March 2018 08:21:09

### Date Time

Starting date:	<b>22/03/2018</b>	8:14:48 AM
Ending date:	<b>22/03/2018</b>	8:21:08 AM

### Counters:

INSPECTED	<b>15</b>		
ACCEPTED	<b>5</b>	33.33	%
REJECTED	<b>10</b>	66.67	%
TECNICAL REJECT	<b>0</b>	0.00	%

### Reject details:

ST0	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	9	60.00	%
Single Particles	8	53.33	%
Total Particles	9	60.00	%
	0	0.00	%
Fill Level	1	6.67	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	66.67	%
Single Particles	10	66.67	%
Total Particles	10	66.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	6.67	%
Still Particles	1	6.67	%
Tot. Still Particles	1	6.67	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	9	60.00	%
Single Particles	9	60.00	%
Total Particles	9	60.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			OFF
<i>Totals:</i>	0	0.00	%
LKD2			OFF
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: