

Batch:

21490035

| User: | 5 | simonb |
|----------|---|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

02 November 2016 09:54:38

Date Time

| Starting date: | 02/11/2016 | 9:40:52 AM |
|----------------|------------|------------|
| Ending date: | 02/11/2016 | 9:54:37 AM |

Counters:

| INSPECTED | 17 | | |
|------------------|----|-------|---|
| ACCEPTED | 5 | 29.41 | % |
| REJECTED | 12 | 70.59 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 1 | 5.88 | % |
| Min Still particles | 1 | 5.88 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 4 | 23.53 | % |
| Flip-off | 3 | 17.65 | % |
| Aluseal Area | 1 | 5.88 | % |
| Crimping | 1 | 5.88 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 7 | 41.18 | % |
| Single Particles | 5 | 29.41 | % |
| Total Particles | 5 | 29.41 | % |
| | 0 | 0.00 | % |
| Fill Level | 2 | 11.76 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|----------------|---------|
| Totals: | 5 | 29.41 | % |
| Single Particles | 5 | 29.41 | % |
| Total Particles | 5 | 29.41 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 35.29 | ON % |
| | | | |
| Totals: | 6 | 35.29 | % |
| <i>Totals:</i> Single Particles | 6 6 | 35.29 35.29 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|