

Batch:

21490035

| User: | 1 | robj |
|----------|-------|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | 12345 | 667 |
| Notes: | | |
| | | |
| | | |

14 July 2016 15:03:42

Date Time

 Starting date:
 14/07/2016
 9:19:49 AM

 Ending date:
 14/07/2016
 3:03:40 PM

Counters:

| INSPECTED | 500 | | |
|------------------|-----|-------|---|
| ACCEPTED | 395 | 79.00 | % |
| REJECTED | 105 | 21.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 12 | 2.40 | % |
| Flip-off | 4 | 0.80 | % |
| Aluseal Area | 7 | 1.40 | % |
| Crimping | 3 | 0.60 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 89 | 17.80 | % |
| Single Particles | 23 | 4.60 | % |
| Total Particles | 89 | 17.80 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|--------------|---------|
| Totals: | 6 | 1.20 | % |
| Single Particles | 6 | 1.20 | % |
| Total Particles | 6 | 1.20 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 0.40 | ON % |
| | | | |
| Totals: | 2 | 0.40 | % |
| <i>Totals:</i> Single Particles | 2 | 0.40 0.40 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|