

Batch:

21490035

| 1 | mattjw |
|--------|-----------------|
| 5 | 20ml Amber |
| challe | nge set 2005249 |
| | |
| | |
| | |
| | |

27 May 2020 11:31:54

Date Time

 Starting date:
 27/05/2020
 11:30:35

 Ending date:
 27/05/2020
 11:31:54

Counters:

| INSPECTED | 15 | | |
|------------------|----|-------|---|
| ACCEPTED | 5 | 33.33 | % |
| REJECTED | 10 | 66.67 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | ST0 NOT AVAILABLE | | OFF |
|----------------------|-------------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 2 | 13.33 | % |
| Min Still particles | 2 | 13.33 | % |
| Tot. Still Particles | 2 | 13.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 4 | 26.67 | % |
| Flip-off | 2 | 13.33 | % |
| Aluseal Area | 3 | 20.00 | % |
| Crimping | 1 | 6.67 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 6 | 40.00 | % |
| Single Particles | 6 | 40.00 | % |
| Total Particles | 6 | 40.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 2 | 13.33 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|------------------------|-------------|
| Totals: | 8 | 53.33 | % |
| Single Particles | 8 | 53.33 | % |
| Total Particles | 8 | 53.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | | ON |
| ST5 Totals: | AVAIL/ | | |
| | | ABLE | ON |
| Totals: | 10 | 4BLE 66.67 | ON % |
| <i>Totals:</i> Single Particles | 10 10 | ABLE 66.67 66.67 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|