

Batch:

21490035

| User: | 1 | robj |
|----------|---|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

28 November 2016 08:47:16

Date Time

 Starting date:
 25/11/2016
 2:11:31 PM

 Ending date:
 28/11/2016
 8:47:14 AM

Counters:

| INSPECTED | 461 | | |
|------------------|-----|-------|---|
| ACCEPTED | 419 | 90.89 | % |
| REJECTED | 28 | 6.07 | % |
| TECHNICAL REJECT | 14 | 3.04 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 4 | 0.87 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 3 | 0.65 | % |
| Crimping | 2 | 0.43 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 11 | 2.39 | % |
| Single Particles | 2 | 0.43 | % |
| Total Particles | 8 | 1.74 | % |
| | 0 | 0.00 | % |
| Fill Level | 3 | 0.65 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|--------------|---------|
| Totals: | 5 | 1.08 | % |
| Single Particles | 3 | 0.65 | % |
| Total Particles | 5 | 1.08 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 1.74 | ON % |
| | AVAILA 8 8 | | |
| Totals: | 8 | 1.74 | % |
| <i>Totals:</i> Single Particles | 8 | 1.74 1.74 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|