

## Batch:

21490035

| User:    | 1     | robj               |
|----------|-------|--------------------|
| Product: | 3     | 50ml Production    |
| Batch:   | coppe | er sulfate 1903018 |
| Notes:   |       |                    |
|          |       |                    |
|          |       |                    |

05 March 2019 12:35:54

## Date Time

 Starting date:
 05/03/2019
 08:16:18

 Ending date:
 05/03/2019
 12:35:54

## Counters:

| INSPECTED        | 10320 |       |   |
|------------------|-------|-------|---|
| ACCEPTED         | 10054 | 97.42 | % |
| REJECTED         | 263   | 2.55  | % |
| TECHNICAL REJECT | 3     | 0.03  | % |

## Reject details:

| ST0                  | NOT AVAILABLE |      | OFF |
|----------------------|---------------|------|-----|
| Totals:              | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST1                  | AVAILABLE     |      | ON  |
| Totals:              | 45            | 0.44 | %   |
| Min Still particles  | 10            | 0.10 | %   |
| Tot. Still Particles | 44            | 0.43 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST2                  | AVAILABLE     |      | ON  |
| Totals:              | 77            | 0.75 | %   |
| Flip-off             | 0             | 0.00 | %   |
| Aluseal Area         | 75            | 0.73 | %   |
| Crimping             | 3             | 0.03 | %   |
|                      | 0             | 0.00 | %   |
| ST3                  | AVAILABLE     |      | ON  |
| Totals:              | 57            | 0.55 | %   |
| Single Particles     | 13            | 0.13 | %   |
| Total Particles      | 52            | 0.50 | %   |
|                      | 0             | 0.00 | %   |
| Fill Level           | 5             | 0.05 | %   |

| ST4                             | AVAILABLE |              | ON          |
|---------------------------------|-----------|--------------|-------------|
| Totals:                         | 69        | 0.67         | %           |
| Single Particles                | 56        | 0.54         | %           |
| Total Particles                 | 67        | 0.65         | %           |
|                                 | 0         | 0.00         | %           |
|                                 | 0         | 0.00         | %           |
|                                 |           |              |             |
| ST5                             | AVAIL     | <u> </u>     | ON          |
| ST5 Totals:                     | AVAIL/    | <u> </u>     |             |
|                                 |           | ABLE         | ON          |
| Totals:                         | 81        | ABLE<br>0.78 | ON<br>%     |
| <i>Totals:</i> Single Particles | 81<br>67  | 0.78<br>0.65 | <i>ON</i> % |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|