

## Batch:

21490035

User:	1	markw		
Product:	4	100ml Production		
Batch:	X0517	7C 1610055		
Notes:	Sodium Selenite 0.2 uml/mL Injection 100mL			
		07.0 1.1 2016.00 56.50		

07 October 2016 09:56:59

## Date Time

 Starting date:
 07/10/2016
 8:57:09 AM

 Ending date:
 07/10/2016
 9:56:58 AM

## Counters:

INSPECTED	1469		
ACCEPTED	1327	90.33	%
REJECTED	142	9.67	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	9	0.61	%
Min Still particles	4	0.27	%
Tot. Still Particles	8	0.54	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	0.20	%
Flip-off	0	0.00	%
Aluseal Area	3	0.20	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	121	8.24	%
Single Particles	98	6.67	%
Total Particles	117	7.96	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	7	0.48	%
Single Particles	7	0.48	%
Total Particles	6	0.41	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/ 12	ABLE 0.82	ON %
Totals:	12	0.82	%
<i>Totals:</i> Single Particles	12 12	0.82 0.82	% %

Approved by:	Verified by:	
--------------	--------------	--