

| | | |
|----------|-------------------------------|-----------------|
| User: | 1 | adamb |
| Product: | 4 | Production 10ml |
| Batch: | Isoprenaline HCl (pilot) 10ml | |
| Notes: | | |
| | | |
| | | |

17 November 2016 08:37:48

Date Time

| | | |
|----------------|-------------------|------------|
| Starting date: | 17/11/2016 | 8:37:06 AM |
| Ending date: | 17/11/2016 | 8:37:48 AM |

Counters:

| | | | |
|-----------------|----------|------|---|
| INSPECTED | 0 | | |
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 0 | 0.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|------|----|
| <i>Totals:</i> | 0 | 0.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |
| Still Particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|---------------|------|-----|
| <i>Totals:</i> | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|---|------|----|
| LKD1 | | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |
| LKD2 | | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |

Approved by:

Verified by: