

Batch:

21490030

User:	9	simonb
Product:	17	2ml update
Batch:	2ml p	roduction ts8 update run 4
Notes:		
		1

22 March 2018 11:39:41

Date Time

 Starting date:
 22/03/2018
 11:34:56 AM

 Ending date:
 22/03/2018
 11:39:40 AM

Counters:

INSPECTED	49		
ACCEPTED	26	53.06	%
REJECTED	23	46.94	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		OFF
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	22	44.90	%
Single Particles	21	42.86	%
Total Particles	22	44.90	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	23	46.94	%
Single Particles	22	44.90	%
Total Particles	23	46.94	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	ABLE	ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	22	44.90	%
Single Particles	22	44.90	%
Total Particles	22	44.90	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0 0	0.00	%

LKD co	ounters		
LKD1			OFF
Totals:	0	0.00	%
LKD2			OFF
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--