

Batch:

21490035

| User: | 1 | adamb |
|----------|---|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | | |
| Notes: | | |
| | | |
| | | |

04 February 2019 13:47:56

Date Time

 Starting date:
 04/02/2019
 13:47:55

 Ending date:
 04/02/2019
 13:47:56

Counters:

| INSPECTED | 0 | | |
|------------------|---|------|---|
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 0 | 0.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|------|---------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | 0.00 | ON % |
| | 0 0 | | |
| Totals: | 0 | 0.00 | % |
| <i>Totals:</i> Single Particles | 0 | 0.00 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|