

## Batch:

21490035

| User:    | 1 | adamb            |
|----------|---|------------------|
| Product: | 4 | 100ml Production |
| Batch:   |   |                  |
| Notes:   |   |                  |
|          |   |                  |
|          |   |                  |

08 August 2016 12:17:44

## Date Time

| Starting date: | 08/08/2016 | 12:14:33 PM |
|----------------|------------|-------------|
| Ending date:   | 08/08/2016 | 12:17:42 PM |

## Counters:

| INSPECTED        | 13 |       |   |
|------------------|----|-------|---|
| ACCEPTED         | 2  | 15.38 | % |
| REJECTED         | 11 | 84.62 | % |
| TECHNICAL REJECT | 0  | 0.00  | % |

## Reject details:

| ST0                  | NOT AVAILABLE |       | OFF |
|----------------------|---------------|-------|-----|
| Totals:              | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST1                  | AVAILABLE     |       | ON  |
| Totals:              | 0             | 0.00  | %   |
| Min Still particles  | 0             | 0.00  | %   |
| Tot. Still Particles | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST2                  | AVAILABLE     |       | ON  |
| Totals:              | 2             | 15.38 | %   |
| Flip-off             | 0             | 0.00  | %   |
| Aluseal Area         | 1             | 7.69  | %   |
| Crimping             | 2             | 15.38 | %   |
|                      | 0             | 0.00  | %   |
| ST3                  | AVAILABLE     |       | ON  |
| Totals:              | 9             | 69.23 | %   |
| Single Particles     | 4             | 30.77 | %   |
| Total Particles      | 5             | 38.46 | %   |
|                      | 0             | 0.00  | %   |
| Fill Level           | 6             | 46.15 | %   |

| ST4                             | ST4 AVAILABLE    |                | ON      |
|---------------------------------|------------------|----------------|---------|
| Totals:                         | 2                | 15.38          | %       |
| Single Particles                | 2                | 15.38          | %       |
| Total Particles                 | 2                | 15.38          | %       |
|                                 | 0                | 0.00           | %       |
|                                 | 0                | 0.00           | %       |
|                                 |                  |                |         |
| ST5                             | AVAIL            | ABLE           | ON      |
| ST5 Totals:                     | AVAIL/           | ABLE<br>30.77  | ON<br>% |
|                                 | AVAIL/<br>4<br>4 |                |         |
| Totals:                         | 4                | 30.77          | %       |
| <i>Totals:</i> Single Particles | 4                | 30.77<br>30.77 | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|