

Batch:

21490030

User:	9	Admin
Product:	1	Ampoules. 1ml
Batch:	12345	6678
Notes:		

27 May 2015 14:10:30

Date Time

 Starting date:
 27/05/2015
 2:03:35 PM

 Ending date:
 27/05/2015
 2:10:29 PM

Counters:

INSPECTED	669		
ACCEPTED	570	85.20	%
REJECTED	86	12.86	%
TECNICAL REJECT	13	1.94	%

Reject details:

ST0	AVAILABLE		ON
Totals:	8	1.20	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	8	1.20	%
Colour Rings	0	0.00	%
ST1	AVAIL	ABLE	ON
Totals:	18	2.69	%
Single Particles	12	1.79	%
Total Particles	18	2.69	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAIL	ABLE	ON
Totals:	60	8.97	%
Single Particles	32	4.78	%
Total Particles	60	8.97	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	ABLE	ON
Totals:	3	0.45	%
Still Particles	3	0.45	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	60	8.97	%
Single Particles	28	4.19	%
Total Particles	60	8.97	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	1	0.15	%
LKD2			ON
Totals:	2	0.30	%

Approved by:	Verified by:
--------------	--------------