

User:	1	rojb
Product:	1	Production 1ml
Batch:	challenge test 1802145	
Notes:		

16 February 2018 09:13:36

Date Time

Starting date:	16/02/2018	8:26:30 AM
Ending date:	16/02/2018	9:13:34 AM

Counters:

INSPECTED	5		
ACCEPTED	0	0.00	%
REJECTED	5	100.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	20.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	1	20.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	3	60.00	%
Single Particles	2	40.00	%
Total Particles	3	60.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	4	80.00	%
Single Particles	4	80.00	%
Total Particles	4	80.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	3	60.00	%
Single Particles	3	60.00	%
Total Particles	3	60.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: