

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	11111	11
Notes:		

25 June 2015 12:02:29

Date Time

 Starting date:
 25/06/2015
 11:25:04 AM

 Ending date:
 25/06/2015
 12:02:28 PM

Counters:

INSPECTED	1181		
ACCEPTED	390	33.02	%
REJECTED	765	64.78	%
TECNICAL REJECT	26	2.20	%

Reject details:

ST0	AVAILABLE		ON
Totals:	1	0.08	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	1	0.08	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	426	36.07	%
Single Particles	259	21.93	%
Total Particles	426	36.07	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAIL	ABLE	ON
Totals:	527	44.62	%
Single Particles	324	27.43	%
Total Particles	524	44.37	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	710	60.12	%
Single Particles	435	36.83	%
Total Particles	710	60.12	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	28	2.37	%

Approved by:	Verified by:
--------------	--------------