

## Batch:

21490035

1	darylw
3	50ml Production
magn	esium sulphate review

18 June 2019 08:55:04

## Date Time

 Starting date:
 18/06/2019
 08:50:19

 Ending date:
 18/06/2019
 08:55:02

## Counters:

INSPECTED	198		
ACCEPTED	189	95.45	%
REJECTED	9	4.55	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	1.01	%
Flip-off	0	0.00	%
Aluseal Area	2	1.01	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	3.54	%
Single Particles	0	0.00	%
Total Particles	7	3.54	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	% %

Approved by:	Verified by:	
--------------	--------------	--