

|          |                   |                |
|----------|-------------------|----------------|
| User:    | 1                 | robj           |
| Product: | 1                 | Production 1ml |
| Batch:   | challenge 1709076 |                |
| Notes:   |                   |                |
|          |                   |                |
|          |                   |                |

18 September 2017 16:55:23

### Date Time

|                |                   |            |
|----------------|-------------------|------------|
| Starting date: | <b>18/09/2017</b> | 4:37:07 PM |
| Ending date:   | <b>18/09/2017</b> | 4:55:22 PM |

### Counters:

|                 |           |       |   |
|-----------------|-----------|-------|---|
| INSPECTED       | <b>18</b> |       |   |
| ACCEPTED        | <b>4</b>  | 22.22 | % |
| REJECTED        | <b>14</b> | 77.78 | % |
| TECNICAL REJECT | <b>0</b>  | 0.00  | % |

### Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| <i>Totals:</i>       | 3         | 16.67 | %  |
| Height               | 0         | 0.00  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 3         | 16.67 | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 10        | 55.56 | %  |
| Single Particles     | 9         | 50.00 | %  |
| Total Particles      | 9         | 50.00 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 1         | 5.56  | %  |
| ST2                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 11        | 61.11 | %  |
| Single Particles     | 11        | 61.11 | %  |
| Total Particles      | 10        | 55.56 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 0         | 0.00  | %  |
| Still Particles      | 0         | 0.00  | %  |
| Tot. Still Particles | 0         | 0.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAILABLE     |       | ON  |
|------------------|---------------|-------|-----|
| <i>Totals:</i>   | 10            | 55.56 | %   |
| Single Particles | 10            | 55.56 | %   |
| Total Particles  | 10            | 55.56 | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
| ST5              | NOT AVAILABLE |       | OFF |
| <i>Totals:</i>   | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |

| LKD counters   |   |      |    |
|----------------|---|------|----|
| LKD1           |   |      | ON |
| <i>Totals:</i> | 1 | 5.56 | %  |
| LKD2           |   |      | ON |
| <i>Totals:</i> | 1 | 5.56 | %  |

Approved by:

Verified by: