

User:	5	Supervisor
Product:	4	Ampoules. 10ml
Batch:	111111	
Notes:		

08 September 2015 15:22:14

Date Time

Starting date:	08/09/2015	3:22:11 PM
Ending date:	08/09/2015	3:22:13 PM

Counters:

INSPECTED	62		
ACCEPTED	0	0.00	%
REJECTED	23	37.10	%
TECNICAL REJECT	39	62.90	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	4	6.45	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	4	6.45	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	15	24.19	%
Single Particles	2	3.23	%
Total Particles	6	9.68	%
	0	0.00	%
Fill Level	12	19.35	%
ST2	AVAILABLE		ON
<i>Totals:</i>	8	12.90	%
Single Particles	5	8.06	%
Total Particles	8	12.90	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	19	30.65	%
Still Particles	19	30.65	%
Tot. Still Particles	19	30.65	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	7	11.29	%
Single Particles	4	6.45	%
Total Particles	7	11.29	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: