

User:	1	adamb
Product:	1	Production 1ml
Batch:	maintenance	
Notes:		

08 January 2018 08:57:55

Date Time

Starting date:	08/01/2018	8:55:55 AM
Ending date:	08/01/2018	8:57:53 AM

Counters:

INSPECTED	4		
ACCEPTED	1	25.00	%
REJECTED	3	75.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	25.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	1	25.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	1	25.00	%
Single Particles	1	25.00	%
Total Particles	1	25.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	1	25.00	%
Single Particles	1	25.00	%
Total Particles	1	25.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	2	50.00	%
Single Particles	2	50.00	%
Total Particles	1	25.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: