

Batch:

21490030

User:	1	robj
Product:	3	Production 5ml
Batch:	1706	065 test
Notes:		

01 August 2017 14:40:14

Date Time

 Starting date:
 01/08/2017
 2:20:44 PM

 Ending date:
 01/08/2017
 2:39:11 PM

Counters:

INSPECTED	31		
ACCEPTED	3	9.68	%
REJECTED	13	41.94	%
TECNICAL REJECT	15	48.39	%

Reject details:

ST0	AVAILABLE		ON
Totals:	8	25.81	%
Height	7	22.58	%
Shape	1	3.23	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	6.45	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	2	6.45	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAIL	ABLE	ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	2	6.45	%
Single Particles	2	6.45	%
Total Particles	1	3.23	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	3	9.68	%
LKD2			ON
Totals:	1	3.23	%

Approved by:	Verified by:	
--------------	--------------	--