

## Batch:

21490030

User:	5	Supervisor
Product:	2	Ampoules. 2ml
Batch:	11111	111
Notes:		
		14.1   2045 44.52.00

14 July 2015 14:52:00

## Date Time

Starting date:	14/07/2015	2:47:34 PM
Ending date:	14/07/2015	2:52:00 PM

## Counters:

INSPECTED	831		
ACCEPTED	782	94.10	%
REJECTED	36	4.33	%
TECNICAL REJECT	13	1.56	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	10	1.20	%
Single Particles	3	0.36	%
Total Particles	6	0.72	%
	0	0.00	%
Fill Level	4	0.48	%
ST2	AVAILABLE		ON
Totals:	9	1.08	%
Single Particles	6	0.72	%
Total Particles	9	1.08	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	23	2.77	%
Single Particles	11	1.32	%
Total Particles	23	2.77	%
	0	0.00	%
	0	0.00	%
	Ü	0.00	70
ST5	NOT AVA		OFF
ST5 Totals:	NOT AVA		
	NOT AVA	ILABLE	OFF
	NOT AVA 0 0	ILABLE 0.00	OFF %
	NOT AVA 0 0 0 0 0	0.00 0.00	<i>OFF</i> %

ounters		
		ON
0	0.00	%
_		ON
11	1.32	%
	0 11	0 0.00

Approved by:	Verified by:	
--------------	--------------	--