

User:	1	kevc
Product:	1	Production 1ml
Batch:	challenge 1710265	
Notes:		

30 October 2017 13:46:04

Date Time

Starting date:	30/10/2017	1:43:28 PM
Ending date:	30/10/2017	1:46:04 PM

Counters:

INSPECTED	12		
ACCEPTED	0	0.00	%
REJECTED	12	100.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	8.33	%
Height	0	0.00	%
Shape	1	8.33	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	9	75.00	%
Single Particles	9	75.00	%
Total Particles	9	75.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	9	75.00	%
Single Particles	9	75.00	%
Total Particles	9	75.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	9	75.00	%
Single Particles	9	75.00	%
Total Particles	9	75.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	10	83.33	%

Approved by:

Verified by: