

Batch:

21490030

| 9 | simonb |
|--------|-------------------------|
| 4 | Production 10ml |
| challe | nge 1711145 b[protocol] |
| | |
| | |
| | |
| | 4 |

22 November 2017 15:03:53

Date Time

| Starting date: | 22/11/2017 | 3:02:36 PM |
|----------------|------------|------------|
| Ending date: | 22/11/2017 | 3:03:52 PM |

Counters:

| INSPECTED | 19 | | |
|-----------------|----|-------|---|
| ACCEPTED | 4 | 21.05 | % |
| REJECTED | 15 | 78.95 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAIL | AVAILABLE | |
|----------------------|-------|-----------|----|
| Totals: | 0 | 0.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAIL | AVAILABLE | |
| Totals: | 11 | 57.89 | % |
| Single Particles | 10 | 52.63 | % |
| Total Particles | 11 | 57.89 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAIL | AVAILABLE | |
| Totals: | 12 | 63.16 | % |
| Single Particles | 12 | 63.16 | % |
| Total Particles | 12 | 63.16 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAIL | ABLE | ON |
| Totals: | 0 | 0.00 | % |
| Still Particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|------------------|----------------|----------|
| Totals: | 14 | 73.68 | % |
| Single Particles | 14 | 73.68 | % |
| Total Particles | 13 | 68.42 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 0 0 | 0.00 | % |
| | 0 0 0 0 | 0.00 | % |

| LKD counters | | | |
|--------------|---|------|-----|
| LKD1 | | | OFF |
| Totals: | 0 | 0.00 | % |
| LKD2 | | | OFF |
| Totals: | 0 | 0.00 | % |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|