

## Batch:

21490030

| User:    | 5     | Supervisor    |
|----------|-------|---------------|
| Product: | 1     | Ampoules. 1ml |
| Batch:   | FOLIC | CACID         |
| Notes:   |       |               |
|          |       |               |
|          |       |               |
|          |       |               |

10 January 2016 23:24:49

## Date Time

 Starting date:
 10/01/2016
 11:24:23 PM

 Ending date:
 10/01/2016
 11:24:49 PM

## Counters:

| INSPECTED       | 2 |        |   |
|-----------------|---|--------|---|
| ACCEPTED        | 0 | 0.00   | % |
| REJECTED        | 2 | 100.00 | % |
| TECNICAL REJECT | 0 | 0.00   | % |

## Reject details:

| ST0                  | AVAILABLE |        | ON |
|----------------------|-----------|--------|----|
| Totals:              | 2         | 100.00 | %  |
| Height               | 2         | 100.00 | %  |
| Shape                | 0         | 0.00   | %  |
| Black Spot           | 1         | 50.00  | %  |
| Colour Rings         | 0         | 0.00   | %  |
| ST1                  | AVAILABLE |        | ON |
| Totals:              | 0         | 0.00   | %  |
| Single Particles     | 0         | 0.00   | %  |
| Total Particles      | 0         | 0.00   | %  |
|                      | 0         | 0.00   | %  |
| Fill Level           | 0         | 0.00   | %  |
| ST2                  | AVAILABLE |        | ON |
| Totals:              | 0         | 0.00   | %  |
| Single Particles     | 0         | 0.00   | %  |
| Total Particles      | 0         | 0.00   | %  |
|                      | 0         | 0.00   | %  |
|                      | 0         | 0.00   | %  |
| ST3                  | AVAIL     | ABLE   | ON |
| Totals:              | 0         | 0.00   | %  |
| Still Particles      | 0         | 0.00   | %  |
| Tot. Still Particles | 0         | 0.00   | %  |
| Charrings            | 0         | 0.00   | %  |
| Tot. Charrings       | 0         | 0.00   | %  |

| ST4              | AVAILABLE             |                | ON       |
|------------------|-----------------------|----------------|----------|
| Totals:          | 0                     | 0.00           | %        |
| Single Particles | 0                     | 0.00           | %        |
| Total Particles  | 0                     | 0.00           | %        |
|                  | 0                     | 0.00           | %        |
|                  | 0                     | 0.00           | %        |
|                  |                       |                |          |
| ST5              | NOT AVA               | ILABLE         | OFF      |
| ST5 Totals:      | NOT AVA               | ILABLE<br>0.00 | OFF<br>% |
|                  | NOT AVA               |                |          |
|                  | 0<br>0<br>0           | 0.00           | %        |
|                  | 0<br>0<br>0<br>0<br>0 | 0.00           | %<br>%   |

| LKD counters |   |      |    |  |
|--------------|---|------|----|--|
| LKD1         |   |      | ON |  |
| Totals:      | 0 | 0.00 | %  |  |
| LKD2         |   |      | ON |  |
| Totals:      | 0 | 0.00 | %  |  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|