

User:	1	kevc
Product:	1	Production 1ml
Batch:	challenge 1710265	
Notes:		

30 October 2017 14:34:34

### Date Time

Starting date:	<b>30/10/2017</b>	2:31:09 PM
Ending date:	<b>30/10/2017</b>	2:34:34 PM

### Counters:

INSPECTED	<b>12</b>		
ACCEPTED	<b>0</b>	0.00	%
REJECTED	<b>12</b>	100.00	%
TECNICAL REJECT	<b>0</b>	0.00	%

### Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	10	83.33	%
Single Particles	10	83.33	%
Total Particles	10	83.33	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	10	83.33	%
Single Particles	10	83.33	%
Total Particles	10	83.33	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	8.33	%
Still Particles	1	8.33	%
Tot. Still Particles	1	8.33	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	91.67	%
Single Particles	11	91.67	%
Total Particles	10	83.33	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	9	75.00	%

Approved by:

Verified by: