

## Batch:

21490035

| 1      | adamb           |
|--------|-----------------|
| 3      | 50ml Production |
| challe | nge 2002288     |
|        |                 |
|        |                 |
|        |                 |
|        | 3               |

03 March 2020 08:06:24

## Date Time

| Starting date: | 03/03/2020 | 08:04:55 |
|----------------|------------|----------|
| Ending date:   | 03/03/2020 | 08:06:23 |

## Counters:

| INSPECTED        | 15 |       |   |
|------------------|----|-------|---|
| ACCEPTED         | 5  | 33.33 | % |
| REJECTED         | 10 | 66.67 | % |
| TECHNICAL REJECT | 0  | 0.00  | % |

## Reject details:

| ST0                  | NOT AVAILABLE |       | OFF |
|----------------------|---------------|-------|-----|
| Totals:              | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST1                  | AVAILABLE     |       | ON  |
| Totals:              | 4             | 26.67 | %   |
| Min Still particles  | 4             | 26.67 | %   |
| Tot. Still Particles | 4             | 26.67 | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST2                  | AVAILABLE     |       | ON  |
| Totals:              | 5             | 33.33 | %   |
| Flip-off             | 3             | 20.00 | %   |
| Aluseal Area         | 3             | 20.00 | %   |
| Crimping             | 1             | 6.67  | %   |
|                      | 0             | 0.00  | %   |
| ST3                  | AVAILABLE     |       | ON  |
| Totals:              | 5             | 33.33 | %   |
| Single Particles     | 4             | 26.67 | %   |
| Total Particles      | 5             | 33.33 | %   |
|                      | 0             | 0.00  | %   |
| Fill Level           | 0             | 0.00  | %   |

| ST4                             | AVAILABLE        |                | ON      |
|---------------------------------|------------------|----------------|---------|
| Totals:                         | 4                | 26.67          | %       |
| Single Particles                | 4                | 26.67          | %       |
| Total Particles                 | 4                | 26.67          | %       |
|                                 | 0                | 0.00           | %       |
|                                 | 0                | 0.00           | %       |
|                                 |                  |                |         |
| ST5                             | AVAIL            | ABLE           | ON      |
| ST5 Totals:                     | AVAIL/           | ABLE<br>26.67  | ON<br>% |
|                                 | AVAIL/<br>4<br>4 |                |         |
| Totals:                         | 4                | 26.67          | %       |
| <i>Totals:</i> Single Particles | 4                | 26.67<br>26.67 | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|