

Batch:

21490035

1	markw
4	100ml Production
Challe	enge 2002248
	4

26 February 2020 08:15:09

Date Time

 Starting date:
 26/02/2020
 08:13:24

 Ending date:
 26/02/2020
 08:15:08

Counters:

INSPECTED	15		
ACCEPTED	4	26.67	%
REJECTED	11	73.33	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1 A\		ABLE	ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	1	6.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	10	66.67	%
Flip-off	9	60.00	%
Aluseal Area	1	6.67	%
Crimping	9	60.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	8	53.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	8	53.33	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		ON %
	AVAIL/ 4 4	ABLE	
Totals:	4	ABLE 26.67	%
<i>Totals:</i> Single Particles	4	ABLE 26.67 26.67	%

Approved by:	Verified by: