

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1912188
Notes:		

20 December 2019 14:24:36

Date Time

 Starting date:
 20/12/2019
 14:23:22

 Ending date:
 20/12/2019
 14:24:36

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	20.00	%
Min Still particles	3	20.00	%
Tot. Still Particles	3	20.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	6	40.00	%
Flip-off	3	20.00	%
Aluseal Area	3	20.00	%
Crimping	3	20.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
Fill Level	1	6.67	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 33.33	ON %
Totals:	5	33.33	%
<i>Totals:</i> Single Particles	5 5	33.33 33.33	% %

Approved by:	Verified by:	
--------------	--------------	--