

## Batch:

21490035

5	Supervisor
2	Vial 50ml
15110	34
sodiu	ım chloride
	2 15110

06 November 2015 13:00:37

## Date Time

 Starting date:
 06/11/2015
 1:00:37 PM

 Ending date:
 06/11/2015
 1:00:37 PM

## Counters:

INSPECTED	503		
ACCEPTED	366	72.76	%
REJECTED	137	27.24	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	9	1.79	%
Min Still particles	2	0.40	%
Tot. Still Particles	9	1.79	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	33	6.56	%
Aluseal Area	15	2.98	%
Crimping	15	2.98	%
	7	1.39	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	73	14.51	%
Single Particles	59	11.73	%
Total Particles	69	13.72	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	56	11.13	%
Single Particles	49	9.74	%
Total Particles	53	10.54	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/ 26	ABLE 5.17	ON %
Totals:	26	5.17	%
<i>Totals:</i> Single Particles	26 26	5.17 5.17	% %

Approved by:	Verified by:	
--------------	--------------	--