

Batch:

21490030

| User: | 5 | Supervisor |
|----------|-------|---------------|
| Product: | 2 | Ampoules. 2ml |
| Batch: | 11111 | 11 |
| Notes: | | |
| | | |
| | | |

15 September 2015 11:44:14

Date Time

 Starting date:
 15/09/2015
 9:51:22 AM

 Ending date:
 15/09/2015
 11:44:13 AM

Counters:

| INSPECTED | 3892 | | |
|-----------------|------|-------|---|
| ACCEPTED | 3551 | 91.24 | % |
| REJECTED | 305 | 7.84 | % |
| TECNICAL REJECT | 36 | 0.92 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|------|----|
| Totals: | 15 | 0.39 | % |
| Height | 2 | 0.05 | % |
| Shape | 1 | 0.03 | % |
| Black Spot | 12 | 0.31 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 66 | 1.70 | % |
| Single Particles | 21 | 0.54 | % |
| Total Particles | 55 | 1.41 | % |
| | 0 | 0.00 | % |
| Fill Level | 11 | 0.28 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 103 | 2.65 | % |
| Single Particles | 44 | 1.13 | % |
| Total Particles | 103 | 2.65 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 24 | 0.62 | % |
| Still Particles | 22 | 0.57 | % |
| Tot. Still Particles | 20 | 0.51 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|------------------|----------------|----------|
| Totals: | 237 | 6.09 | % |
| Single Particles | 85 | 2.18 | % |
| Total Particles | 235 | 6.04 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 0 0 | 0.00 | % |
| | 0 0 0 0 | 0.00 | % % |

| LKD counters | | | |
|--------------|----|------|----|
| LKD1 | | | ON |
| Totals: | 6 | 0.15 | % |
| LKD2 | | | ON |
| Totals: | 18 | 0.46 | % |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|