

## Batch:

21490030

| User:    | 1     | adamb          |
|----------|-------|----------------|
| Product: | 1     | Production 1ml |
| Batch:   | Metar | aminol 1708246 |
| Notes:   |       |                |
|          |       |                |
|          |       |                |

30 August 2017 11:08:17

## Date Time

 Starting date:
 30/08/2017
 11:02:53 AM

 Ending date:
 30/08/2017
 11:08:16 AM

## Counters:

| INSPECTED       | 17 |       |   |
|-----------------|----|-------|---|
| INSPECTED       | 1/ |       |   |
| ACCEPTED        | 5  | 29.41 | % |
| REJECTED        | 12 | 70.59 | % |
| TECNICAL REJECT | 0  | 0.00  | % |

## Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| Totals:              | 2         | 11.76 | %  |
| Height               | 0         | 0.00  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 2         | 11.76 | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| Totals:              | 9         | 52.94 | %  |
| Single Particles     | 9         | 52.94 | %  |
| Total Particles      | 9         | 52.94 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 0         | 0.00  | %  |
| ST2                  | AVAIL     | ABLE  | ON |
| Totals:              | 10        | 58.82 | %  |
| Single Particles     | 10        | 58.82 | %  |
| Total Particles      | 10        | 58.82 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| Totals:              | 1         | 5.88  | %  |
| Still Particles      | 1         | 5.88  | %  |
| Tot. Still Particles | 0         | 0.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAIL             | ABLE           | ON       |
|------------------|-------------------|----------------|----------|
| Totals:          | 10                | 58.82          | %        |
| Single Particles | 10                | 58.82          | %        |
| Total Particles  | 10                | 58.82          | %        |
|                  | 0                 | 0.00           | %        |
|                  | 0                 | 0.00           | %        |
|                  |                   |                |          |
| ST5              | NOT AVA           | ILABLE         | OFF      |
| ST5 Totals:      | NOT AVA           | ILABLE<br>0.00 | OFF<br>% |
|                  | NOT AVA<br>0<br>0 |                |          |
|                  | 0<br>0<br>0       | 0.00           | %        |
|                  | 0<br>0<br>0<br>0  | 0.00           | %<br>%   |

| LKD counters |   |      |    |
|--------------|---|------|----|
| LKD1         |   |      | ON |
| Totals:      | 0 | 0.00 | %  |
| LKD2         |   |      | ON |
| Totals:      | 0 | 0.00 | %  |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|