

User:	1	mitchf
Product:	2	Production 2ml
Batch:	mag sulfate 2ml test	
Notes:		

14 November 2016 15:31:24

Date Time

Starting date:	14/11/2016	2:59:34 PM
Ending date:	14/11/2016	3:31:23 PM

Counters:

INSPECTED	408		
ACCEPTED	292	71.57	%
REJECTED	107	26.23	%
TECNICAL REJECT	9	2.21	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	37	9.07	%
Height	1	0.25	%
Shape	4	0.98	%
Black Spot	34	8.33	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	43	10.54	%
Single Particles	1	0.25	%
Total Particles	3	0.74	%
	0	0.00	%
Fill Level	40	9.80	%
ST2	AVAILABLE		ON
<i>Totals:</i>	17	4.17	%
Single Particles	4	0.98	%
Total Particles	17	4.17	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	7	1.72	%
Still Particles	3	0.74	%
Tot. Still Particles	6	1.47	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	16	3.92	%
Single Particles	6	1.47	%
Total Particles	16	3.92	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	4	0.98	%
LKD2			ON
<i>Totals:</i>	2	0.49	%

Approved by:

Verified by: