

Batch:

21490030

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	11111	11
Notes:		

25 September 2015 08:26:34

Date Time

Starting date:	25/09/2015	8:18:49 AM
Ending date:	25/09/2015	8:26:33 AM

Counters:

INSPECTED	31		
ACCEPTED	2	6.45	%
REJECTED	25	80.65	%
TECNICAL REJECT	4	12.90	%

Reject details:

ST0	AVAILABLE		OFF
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		OFF
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		OFF
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		OFF
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		OFF
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	29	93.55	%

Approved by:	Verified by:	
--------------	--------------	--