

Batch:

21490035

| User: | 1 | campbelld |
|----------|--------|------------------|
| Product: | 1 | 10ml Production |
| Batch: | Challe | enge Set 2002148 |
| Notes: | | |
| | | |
| | | |

17 February 2020 11:35:29

Date Time

 Starting date:
 17/02/2020
 11:33:02

 Ending date:
 17/02/2020
 11:35:29

Counters:

| INSPECTED | 11 | | |
|------------------|----|-------|---|
| ACCEPTED | 2 | 18.18 | % |
| REJECTED | 9 | 81.82 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 5 | 45.45 | % |
| Min Still particles | 5 | 45.45 | % |
| Tot. Still Particles | 5 | 45.45 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 2 | 18.18 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 1 | 9.09 | % |
| Crimping | 1 | 9.09 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 7 | 63.64 | % |
| Single Particles | 6 | 54.55 | % |
| Total Particles | 6 | 54.55 | % |
| | 0 | 0.00 | % |
| Fill Level | 1 | 9.09 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|------------------------|-------------|
| Totals: | 3 | 27.27 | % |
| Single Particles | 3 | 27.27 | % |
| Total Particles | 3 | 27.27 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAILA | | ON |
| ST5 Totals: | AVAIL/ | | |
| | AVAIL/ 2 2 | ABLE | ON |
| Totals: | 2 | ABLE 18.18 | ON % |
| <i>Totals:</i> Single Particles | 2 | ABLE 18.18 18.18 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|