

User:	1	kevc
Product:	2	Production 2ml
Batch:	challenge 1712075	
Notes:		

18 December 2017 11:51:03

Date Time

Starting date:	18/12/2017	11:44:21 AM
Ending date:	18/12/2017	11:51:02 AM

Counters:

INSPECTED	22		
ACCEPTED	4	18.18	%
REJECTED	18	81.82	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	9.09	%
Height	2	9.09	%
Shape	1	4.55	%
Black Spot	1	4.55	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	4	18.18	%
Single Particles	3	13.64	%
Total Particles	4	18.18	%
	0	0.00	%
Fill Level	1	4.55	%
ST2	AVAILABLE		ON
<i>Totals:</i>	11	50.00	%
Single Particles	11	50.00	%
Total Particles	11	50.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	4.55	%
Still Particles	1	4.55	%
Tot. Still Particles	1	4.55	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	13	59.09	%
Single Particles	12	54.55	%
Total Particles	13	59.09	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	4.55	%
LKD2			ON
<i>Totals:</i>	1	4.55	%

Approved by:

Verified by: