

## Batch:

21490030

| Product: 3 Production 5ml  Batch: challenge 1709205  Notes: | User:    | 1      | adamb          |
|---|----------|--------|----------------|
|   | Product: | 3      | Production 5ml |
| Notes:  | Batch:   | challe | nge 1709205    |
|   | Notes:   |        |                |
|   |          |        |                |
|   |          |        |                |

24 October 2017 12:04:21

## Date Time

 Starting date:
 24/10/2017
 11:53:45 AM

 Ending date:
 24/10/2017
 12:04:21 PM

## Counters:

| INSPECTED       | 21 |       |   |
|-----------------|----|-------|---|
| ACCEPTED        | 5  | 23.81 | % |
| REJECTED        | 14 | 66.67 | % |
| TECNICAL REJECT | 2  | 9.52  | % |

## Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| Totals:              | 3         | 14.29 | %  |
| Height               | 2         | 9.52  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 1         | 4.76  | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| Totals:              | 10        | 47.62 | %  |
| Single Particles     | 10        | 47.62 | %  |
| Total Particles      | 10        | 47.62 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 0         | 0.00  | %  |
| ST2                  | AVAILABLE |       | ON |
| Totals:              | 11        | 52.38 | %  |
| Single Particles     | 11        | 52.38 | %  |
| Total Particles      | 10        | 47.62 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| Totals:              | 0         | 0.00  | %  |
| Still Particles      | 0         | 0.00  | %  |
| Tot. Still Particles | 0         | 0.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAILABLE        |                | ON       |
|------------------|------------------|----------------|----------|
| Totals:          | 10               | 47.62          | %        |
| Single Particles | 10               | 47.62          | %        |
| Total Particles  | 10               | 47.62          | %        |
|                  | 0                | 0.00           | %        |
|                  | 0                | 0.00           | %        |
|                  |                  |                |          |
| ST5              | NOT AVA          | ILABLE         | OFF      |
| ST5 Totals:      | NOT AVA          | ILABLE<br>0.00 | OFF<br>% |
|                  | NOT AVA          |                |          |
|                  | 0<br>0<br>0      | 0.00           | %        |
|                  | 0<br>0<br>0<br>0 | 0.00           | %<br>%   |

| LKD counters |   |      |    |  |
|--------------|---|------|----|--|
| LKD1         |   |      | ON |  |
| Totals:      | 1 | 4.76 | %  |  |
| LKD2         |   |      | ON |  |
| Totals:      | 0 | 0.00 | %  |  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|