

Batch:

21490035

1	adamb
3	50ml Production
challe	nge 2006028

03 June 2020 17:07:54

Date Time

 Starting date:
 03/06/2020
 14:23:54

 Ending date:
 03/06/2020
 17:07:54

Counters:

INSPECTED	112		
INSI ECTED	112		
ACCEPTED	94	83.93	%
REJECTED	12	10.71	%
TECHNICAL REJECT	6	5.36	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Flip-off	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	11	9.82	%
Single Particles	3	2.68	%
Total Particles	11	9.82	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 0.89	ON %
	AVAIL/ 1 1		
Totals:	1 1 0	0.89	%
<i>Totals:</i> Single Particles	1 1 0 0	0.89	%

Approved by:	Verified by:	
--------------	--------------	--