

## Batch:

21490035

1	robj
9	100mL Fill Level
magne	esium sulfate 1701268

27 January 2017 09:54:26

## Date Time

 Starting date:
 27/01/2017
 9:38:57 AM

 Ending date:
 27/01/2017
 9:54:26 AM

## Counters:

INSPECTED	35		
ACCEPTED	26	74.29	%
DEJECTED		25.71	07
REJECTED	9	25.71	%
TECHNICAL DEJECT		0.00	0/
TECHNICAL REJECT	U	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Flip-off	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	9	25.71	%
Single Particles	8	22.86	%
Total Particles	6	17.14	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON	
Totals:	0	0.00	%	
Single Particles	0	0.00	%	
Total Particles	0	0.00	%	
	0	0.00	%	
	0	0.00	%	
ST5	AVAIL	ABLE	ON	
ST5 Totals:	AVAIL/	0.00	ON %	
	0 0			
Totals:	0	0.00	%	
<i>Totals:</i> Single Particles	0	0.00	% %	

Approved by:	Verified by:	
--------------	--------------	--