

Batch:

21490035

1	robj
3	50ml Production
test	

05 August 2019 09:21:31

Date Time

 Starting date:
 05/08/2019
 09:16:59

 Ending date:
 05/08/2019
 09:21:31

Counters:

INSPECTED	170		
ACCEPTED	165	97.06	%
REJECTED	5	2.94	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Flip-off	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	4	2.35	%
Single Particles	2	1.18	%
Total Particles	4	2.35	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 0.59	ON %
	AVAIL/ 1 0		
Totals:	1 0 1	0.59	%
<i>Totals:</i> Single Particles	1 0 1 0	0.59 0.00	%

Approved by:	Verified by:	
--------------	--------------	--