

Batch:

21490035

User:	1	kevc
Product:	5	20ml Amber
Batch:	Challe	enge PB1811238
Notes:		

28 November 2018 09:28:57

Date Time

 Starting date:
 28/11/2018
 09:26:48

 Ending date:
 28/11/2018
 09:28:57

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVA	ILABLE	OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	13.33	%
Min Still particles	2	13.33	%
Tot. Still Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	4	26.67	%
Flip-off	2	13.33	%
Aluseal Area	2	13.33	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	9	60.00	%
Single Particles	9	60.00	%
Total Particles	9	60.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 66.67	ON %
Totals:	10	66.67	%
<i>Totals:</i> Single Particles	10 10	66.67 66.67	% %

Approved by:	Verified by:	
--------------	--------------	--