

Batch:

21490035

| User: | 1 | Mitchf |
|----------|-------|------------------|
| Product: | 4 | 100ml Production |
| Batch: | X8844 | A 1609205 100mL |
| Notes: | sodiu | ım chloride |
| | | |
| | | |
| | | |

27 September 2016 08:46:08

Date Time

 Starting date:
 27/09/2016
 8:34:12 AM

 Ending date:
 27/09/2016
 8:46:07 AM

Counters:

| INSPECTED | 40 | | |
|------------------|----|-------|---|
| ACCEPTED | 13 | 32.50 | % |
| REJECTED | 27 | 67.50 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 27 | 67.50 | % |
| Single Particles | 3 | 7.50 | % |
| Total Particles | 3 | 7.50 | % |
| | 0 | 0.00 | % |
| Fill Level | 25 | 62.50 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-------------|------|-------------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | 0.00 | |
| | 0 0 | | ON |
| Totals: | 0 0 0 | 0.00 | ON % |
| <i>Totals:</i> Single Particles | 0 | 0.00 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|