

Batch:

21490035

User:	1	mattjw
Product:	5	20ml Amber
Batch:	fentar	nyl 2004249
Notes:		

26 April 2020 09:16:17

Date Time

 Starting date:
 26/04/2020
 07:14:34

 Ending date:
 26/04/2020
 09:16:16

Counters:

INSPECTED	8934		
ACCEPTED	8673	97.08	%
REJECTED	261	2.92	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	0.03	%
Min Still particles	3	0.03	%
Tot. Still Particles	3	0.03	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	8	0.09	%
Flip-off	0	0.00	%
Aluseal Area	6	0.07	%
Crimping	2	0.02	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	211	2.36	%
Single Particles	155	1.73	%
Total Particles	183	2.05	%
	0	0.00	%
Fill Level	20	0.22	%

ST4	AVAILABLE		ON
Totals:	18	0.20	%
Single Particles	15	0.17	%
Total Particles	17	0.19	%
	0	0.00	%
	0	0.00	%
	T5 AVAILABLE		
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAILA 27	0.30	ON %
Totals:	27	0.30	%
<i>Totals:</i> Single Particles	27 24	0.30 0.27	% %
<i>Totals:</i> Single Particles	27 24 20	0.30 0.27 0.22	% % %

Approved by:	Verified by:	
--------------	--------------	--