

User:	5	Supervisor
Product:	1	Ampoules. 1ml
Batch:	1111111	
Notes:		

24 September 2015 11:50:12

Date Time

Starting date:	24/09/2015	11:48:51 AM
Ending date:	24/09/2015	11:50:11 AM

Counters:

INSPECTED	32		
ACCEPTED	0	0.00	%
REJECTED	19	59.38	%
TECNICAL REJECT	13	40.63	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	3.13	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	1	3.13	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	18	56.25	%
Still Particles	18	56.25	%
Tot. Still Particles	18	56.25	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	8	25.00	%
Single Particles	8	25.00	%
Total Particles	8	25.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	3	9.38	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: