

Batch:

21490030

| 1 | adamb |
|-------|-----------------------|
| 3 | Production 5ml |
| Magne | esium sulfate 1709199 |
| | |
| | |
| | |
| | |

23 October 2017 09:55:06

Date Time

| Starting date: | 23/10/2017 | 9:47:05 AM |
|----------------|------------|------------|
| Ending date: | 23/10/2017 | 9:55:06 AM |

Counters:

| INSPECTED | 21 | | |
|-----------------|----|-------|---|
| ACCEPTED | 4 | 19.05 | % |
| REJECTED | 14 | 66.67 | % |
| TECNICAL REJECT | 3 | 14.29 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|-------|----|
| Totals: | 4 | 19.05 | % |
| Height | 2 | 9.52 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 3 | 14.29 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 9 | 42.86 | % |
| Single Particles | 8 | 38.10 | % |
| Total Particles | 8 | 38.10 | % |
| | 0 | 0.00 | % |
| Fill Level | 1 | 4.76 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 8 | 38.10 | % |
| Single Particles | 8 | 38.10 | % |
| Total Particles | 8 | 38.10 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Still Particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|------------------|----------------|----------|
| Totals: | 9 | 42.86 | % |
| Single Particles | 9 | 42.86 | % |
| Total Particles | 9 | 42.86 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 0 0 | 0.00 | % |
| | 0 0 0 0 | 0.00 | % |

| LKD co | ounters | | |
|---------|---------|------|----|
| LKD1 | | | ON |
| Totals: | 1 | 4.76 | % |
| LKD2 | | | ON |
| Totals: | 1 | 4.76 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|