

|          |   |                |
|----------|---|----------------|
| User:    | 1 | adamb          |
| Product: | 3 | Production 5ml |
| Batch:   |   |                |
| Notes:   |   |                |
|          |   |                |
|          |   |                |

02 January 2017 17:23:41

### Date Time

|                |                   |            |
|----------------|-------------------|------------|
| Starting date: | <b>02/01/2017</b> | 4:46:55 PM |
| Ending date:   | <b>02/01/2017</b> | 5:23:40 PM |

### Counters:

|                 |            |       |   |
|-----------------|------------|-------|---|
| INSPECTED       | <b>723</b> |       |   |
| ACCEPTED        | <b>619</b> | 85.62 | % |
| REJECTED        | <b>85</b>  | 11.76 | % |
| TECNICAL REJECT | <b>19</b>  | 2.63  | % |

### Reject details:

| ST0                  | AVAILABLE |      | ON |
|----------------------|-----------|------|----|
| <i>Totals:</i>       | 5         | 0.69 | %  |
| Height               | 0         | 0.00 | %  |
| Shape                | 0         | 0.00 | %  |
| Black Spot           | 5         | 0.69 | %  |
| Colour Rings         | 0         | 0.00 | %  |
| ST1                  | AVAILABLE |      | ON |
| <i>Totals:</i>       | 16        | 2.21 | %  |
| Single Particles     | 7         | 0.97 | %  |
| Total Particles      | 12        | 1.66 | %  |
|                      | 0         | 0.00 | %  |
| Fill Level           | 4         | 0.55 | %  |
| ST2                  | AVAILABLE |      | ON |
| <i>Totals:</i>       | 32        | 4.43 | %  |
| Single Particles     | 20        | 2.77 | %  |
| Total Particles      | 31        | 4.29 | %  |
|                      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
| ST3                  | AVAILABLE |      | ON |
| <i>Totals:</i>       | 33        | 4.56 | %  |
| Still Particles      | 31        | 4.29 | %  |
| Tot. Still Particles | 31        | 4.29 | %  |
| Charrings            | 0         | 0.00 | %  |
| Tot. Charrings       | 0         | 0.00 | %  |

| ST4              | AVAILABLE     |      | ON  |
|------------------|---------------|------|-----|
| <i>Totals:</i>   | 40            | 5.53 | %   |
| Single Particles | 25            | 3.46 | %   |
| Total Particles  | 40            | 5.53 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
| ST5              | NOT AVAILABLE |      | OFF |
| <i>Totals:</i>   | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |
|                  | 0             | 0.00 | %   |

| LKD counters   |   |      |    |
|----------------|---|------|----|
| LKD1           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |
| LKD2           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |

Approved by:

Verified by: