

## Batch:

21490030

User:	9	Admin
Product:	1	Ampoules. 1ml
Batch:	11111	.112
Notes:		

16 November 2015 09:27:32

## Date Time

 Starting date:
 16/11/2015
 6:21:18 AM

 Ending date:
 16/11/2015
 9:27:31 AM

## Counters:

INSPECTED	713		
ACCEPTED	331	46.42	%
REJECTED	233	32.68	%
TECNICAL REJECT	149	20.90	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	23	3.23	%
Height	3	0.42	%
Shape	0	0.00	%
Black Spot	21	2.95	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	76	10.66	%
Single Particles	3	0.42	%
Total Particles	3	0.42	%
	0	0.00	%
Fill Level	73	10.24	%
ST2	AVAILABLE		ON
Totals:	5	0.70	%
Single Particles	1	0.14	%
Total Particles	5	0.70	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	1	0.14	%
Still Particles	1	0.14	%
Tot. Still Particles	1	0.14	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	16	2.24	%
Single Particles	4	0.56	%
Total Particles	16	2.24	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	182	25.53	%
LKD2			ON
Totals:	237	33.24	%

Approved by:	Verified by:
--------------	--------------