

User:	1	kevc
Product:	3	Production 5ml
Batch:	challenge 1710315	
Notes:		

04 November 2017 08:29:20

Date Time

Starting date:	<b>04/11/2017</b>	8:19:44 AM
Ending date:	<b>04/11/2017</b>	8:29:19 AM

Counters:

INSPECTED	<b>21</b>		
ACCEPTED	<b>3</b>	14.29	%
REJECTED	<b>17</b>	80.95	%
TECNICAL REJECT	<b>1</b>	4.76	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	2	9.52	%
Height	1	4.76	%
Shape	0	0.00	%
Black Spot	2	9.52	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	9	42.86	%
Single Particles	9	42.86	%
Total Particles	9	42.86	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	9	42.86	%
Single Particles	9	42.86	%
Total Particles	9	42.86	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	13	61.90	%
Single Particles	13	61.90	%
Total Particles	13	61.90	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	1	4.76	%
LKD2			ON
<i>Totals:</i>	1	4.76	%

Approved by:

Verified by: