

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 2001148
Notes:		

16 January 2020 08:46:40

Date Time

Ending date: 16/01/2	08:46:39	

Counters:

INSPECTED	15		
ACCEPTED	3	20.00	%
REJECTED	12	80.00	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	4	26.67	%
Min Still particles	4	26.67	%
Tot. Still Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAIL		ON
Totals:	6	40.00	%
Flip-off	3	20.00	%
Aluseal Area	4	26.67	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	9	60.00	%
Single Particles	4	26.67	%
Total Particles	7	46.67	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	4	26.67	%
Single Particles	4	26.67	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 33.33	ON %
Totals:	5	33.33	%
<i>Totals:</i> Single Particles	5 4	33.33 26.67	%

Approved by:	Verified by:	
--------------	--------------	--