

Overview

If this, then that — the room decides nothing; the house's priorities do. Read these as directions, not verdicts.

If bar and kitchen revenue leads

The Four On Top family (F and its variants B, C, H, I) — by far the most seated hospitality, wall two-tops on every table row, and it flips to a banquet for free. Runner-up: the lines (D, E, L, M).

If serious play leads

Center Line (J) — every table on display with the roomiest typical clearance in the set, at the price of tight side-to-side between neighbours; F is the classic-room alternative with the fewest compromised sides, and Slid Left (B) keeps that while opening a wider service side.

If service simplicity leads

West Line (D, E) — zero cue-crossing service conflicts and the shortest food runs anywhere: hospitality sits along the service wall. Among the grids, Slid Left (B) keeps conflicts lowest.

If a clear, welcoming entry leads

The shifted lines (E, N) — the whole line slides away from the entrance, so the door end opens up and every entry-side compromise dissolves; M audits cleanest of the whole set. The Turned Corner (C) instead puts a showcase table square in the entry sightline.

If the clustered showroom look leads

The turned trio (A, G, L) — four tables in a block reads dramatic from the door and every cluster gets its own seating band; accept the tightest end swings and the thinnest seating in the set.

If events and spectating lead

Four On Top (F) — the five-round cluster doubles as a gallery facing the nearest row; East Line (M, N) seats a watching row the full length of the room. Wide Aisle (H) adds a center promenade for a crowd to circulate; Beam-Balanced (I) trades a round for breathing room on the beam line.

If nothing is settled yet

Hold F and one line layout (E or N) as the short list: they bracket the trade-space — maximum hospitality vs maximum play-and-service clarity — and both pass every safety and walking audit.

Impact at a glance

	Play room	Hosp. \$	Service	Walking	Entry/egress	Flip
A. left 4+2	—	—	•	•	+	•
B. left 2x3	+	+	—	•	+	+
C. left 2x3 turn	+	+	—	•	+	+
D. west 1x6	—	+	+	•	+	—
E. west 1x6 low	—	+	+	•	+	—
F. center 2x3	+	+	—	•	+	+
G. center 4+2	—	—	•	•	+	•
H. center 2x3 wide	+	+	—	•	+	+
I. center 2x3 bal	+	+	—	+	+	+
J. center 1x6	•	—	—	+	+	+

Every figure behind these pages is computed from the room geometry — capacities, cue room, walking widths, margins, and 2x3 row-type proxy (a peak-hour comparator at placeholder margins, not a forecast). Assumptions and per-metric conventions: analysis/scorecards.md · live re-ranking: the interactive decision deck.


Pool Room — Fourteen Layout Options

Contents — letters read in presentation order; columns group where the tables sit: left · centered · right



A. left 4+2

p. 3



F. center 2x3

p. 8



K. center 1x6 low

p. 13



B. left 2x3

p. 4



G. center 4+2

p. 9



L. right 4+2

p. 14



C. left 2x3 turn

p. 5




H. center 2x3 wide

p. 10




M. east 1x6

p. 15



D. west 1x6

p. 6




I. center 2x3 bal

p. 11




N. east 1x6 low

p. 16



E. west 1x6 low

p. 7



J. center 1x6

p. 12

A • Four On Top — Turned Left — left 4+2

The turned pattern slid left



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE




SE corner → NW

Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Turned Left



Service-flow diagram

Pros

- Both columns slide toward the left wall: the whole east side becomes service and standing room with full end swings.

Cons

- The west end swings run hard against the wall — the cost of the slide.

Cue room: most sides about 47"; shortest clearance 37".

B · Four On Top — Slid Left — left 2x3

The straight grid and its round cluster slid west



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW



SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Slid Left

The straight grid and its round cluster slid west



Service-flow diagram

Pros

- The whole ensemble — straight two-column grid plus the five-round cluster — slides a foot west, widening the east service lane.
- Wall two-tops stay on their walls, so every table keeps seating at arm's reach.

Cons

- The round cluster runs deliberately tight, as in the base layout.

Cue room: most sides about 60"; shortest clearance 44".

C · Four On Top — Slid Left, Turned Corner — left 2×3 turn

Slid Left with the SE table turned toward the entry



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Slid Left, Turned

Slid Left with the SE table turned toward the entry



Service-flow diagram

Pros

- The southeast table turns sideways and centers between its row-mate and the east wall — a showcase corner facing the Main Entry.
- The east-wall two-top it displaced moves to the south wall, 30 inches west of the entry landing.

Cons

- That relocated two-top narrows the walk off the entry treads (user-accepted).

Cue room: most sides about 60"; shortest clearance 44".

D · West Line + Wall Rounds — west 1x6

Tables single-file west; a round beside every table east



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — West Line + Wall Rounds

Tables single-file west; a round beside every table east



Service-flow diagram

Pros

- Every table gets its own five-foot round at matching height — all six, per the brief.


Cons

- The southernmost round crowds the Main Entry approach beside the stair rail.
- One round sits partially in front of the kitchen door — accepted to keep its table paired.

Cue room: most sides about 55"; shortest clearance 49".

E · West Line — Shifted Down — west 1x6 low

The west line slid toward the bottom wall



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — West Line — Shifted Down

The west line slid toward the bottom wall



Service-flow diagram

Pros

- The entry end frees up: the sixth round reaches the east wall like the rest instead of pulling far inboard (its chairs still graze the approach corner).

Cons

- The third round pulls inboard to keep the kitchen door's wall approach clear; kitchen service still threads a squeeze between two rounds' chairs.
- The bottom table's end swing runs tight against the bottom wall — the cost of the slide.

Cue room: most sides about 55"; shortest clearance 41".

F · Four On Top — center 2x3

Six tables; four rounds and a center fifth on the north end



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top

Six tables; four rounds and a center fifth on the north end



Service-flow diagram

Pros

- Four aligned rounds around a center fifth — one big social cluster that doubles as a tournament gallery facing the nearest table row.
- Wall two-tops flank every table row on both walls.

Cons

- The cluster runs deliberately tight, and the two-top by the kitchen door partially fronts it — both accepted.

Cue room: most sides about 60"; shortest clearance 56".

G · Four On Top — Turned — center 4+2


The same pattern with every table rotated sideways



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Turned

The same pattern with every table rotated sideways



Service-flow diagram

Pros

- Four tables in a block at the top, two at the bottom, all turned ninety degrees.
- Two-top bands ride the top wall, the seam between the clusters, and the bottom wall — every table has seating at arm's reach.

Cons

- The rotated ends run tight side-to-side; the west and center aisles are the practical maximum.

Cue room: most sides about 47"; shortest clearance 47".

H · Four On Top — Wide Aisle — center 2x3 wide

The straight grid with its columns spread apart



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW



SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Wide Aisle

The straight grid with its columns spread apart



Service-flow diagram

Pros

- The two table columns spread apart, growing the shared center aisle from about four feet to six — a promenade both columns play and serve from.
- The round cluster spreads with the columns; wall two-tops stay on their walls.


Cons

- The side aisles give a little back to pay for the center — both stay above the walking standard.

Cue room: most sides about 46"; shortest clearance 46".

I · Four On Top — Wide, Beam-Balanced — center 2x3 ba

The wide grid with its rows balanced on the beam; four rounds below



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Wide, Beam-B

The wide grid with its rows balanced on the beam; four rounds below



Service-flow diagram

Pros

- The bottom pair sits the same distance off the beam line as the middle pair on the other side.
- The quincunx becomes four rounds in a staggered row along the bottom wall — a straight row of four needs 320 inches and the room is 316.

Cons

- The bottom tables' north ends face the round row — the shortest cue room in the study (~32").

Cue room: most sides about 46"; shortest clearance 32".

J · Center Line — center 1x6

Six tables turned sideways, end-to-end down the middle



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Center Line

Six tables turned sideways, end-to-end down the middle



Service-flow diagram

Pros

- Every table on display from the full-length side aisles.
- The service lane runs inboard, between the table ends and the east wall tops — the wall lane pinched.


Cons

- Side-to-side swings between neighbours run tight; the table ends get full room.

Cue room: most sides about 74"; shortest clearance 55".

K · Center Line — Shifted Down — center 1x6 low

The center line slid down-wall; the entry end opens up



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Center Line — Shifted Down

The center line slid down-wall; the entry end opens up



Service-flow diagram

Pros

- The whole file slides about 33 inches toward the north wall, freeing the entry end so the south approach opens up.
- Six tables end-to-end down the middle; wall drink rails flank both sides, staff work the two aisles.

Cons

- The rotated ends run tight side-to-side — the side aisles are the practical maximum.

Cue room: most sides about 74"; shortest clearance 45".

L · Four On Top — Turned Right — right 4+2

The turned pattern slid right



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — Four On Top — Turned Right

The turned pattern slid right



Service-flow diagram

Pros

- Both columns slide toward the right wall, as far as the chase and entry well allow; the west side becomes service and standing room with full end swings.

Cons

- The east end swings run hard toward the wall — the cost of the slide.


Cue room: most sides about 47"; shortest clearance 37".

M · East Line + West Lounge — east 1x6

Tables single-file on the east; six aligned rounds west



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW



SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — East Line + West Lounge

Tables single-file on the east; six aligned rounds west



Service-flow diagram

Pros

- Six rounds in one line down the west side, each on its table's centerline.

Cons

- The southernmost round narrows the Emergency Exit approach — the walk bends around its chairs.
- Every delivery crosses the table line — hospitality sits opposite the doors.

Cue room: most sides about 55"; shortest clearance 55".

N · East Line — Shifted Down — east 1×6 low

The east line slid toward the bottom wall



entry end: west → Main Entry



west wall → east



east wall → west



north wall → south



south wall → north



NW corner → SE



NE corner → SW




SW corner → NE



SE corner → NW


Nine eye-level sightlines — the entry view, the four side-to-side views, and the four corner-to-corner views



Overhead render

Pool Room — East Line — Shifted Down

The east line slid toward the bottom wall



Service-flow diagram

Pros

- The top table rejoins the straight line and every compromise at the entry end dissolves — all six rounds sit on their centerlines at the wall, clear of the exit approach.

Cons

- The bottom table's end swing runs tight against the bottom wall — the cost of the slide.

Cue room: most sides about 55"; shortest clearance 45".

Walk it — then weigh it

A first-person walkthrough of all fourteen layouts, and an interactive deck that re-ranks them live — any browser, no install

WALK IT



scan to open

<https://kevinelong.github.io/pool-room-blender/walk.html>

WEIGH THE OPTIONS



scan to open

<https://kevinelong.github.io/pool-room-blender/deck.html>

What to expect

- The walkthrough opens on a gallery of all fourteen layouts — one overhead view each, lettered A through N with its short name. Click any card to jump straight into that room.
- By default an auto-tour walks in through the Main Entrance steps, loops the whole room on a collision-checked path, walks back out, and fades to the next layout — A through N, then it starts over.
- Click the 3-D view to take the controls: WASD or arrow keys to walk, mouse to look, Shift to hurry, Esc to hand back to the tour. You collide with every table, round, and chair — walk the aisles the servers would.
- The decision deck holds every computed number in one comparison matrix. Set the weights to what the house values — play, hospitality, service, events — and watch the fourteen layouts re-rank live. Presets cover the common priorities.
- Both pages are single self-contained files: they load instantly, work offline, and live in the repository under docs/. The walkthrough also carries this PDF as a download.

Share this study — one-tap download page for this PDF and the one-page top-down sheet:

https://kevinelong.github.io/pool-room-blender/get_pdf.html